

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

E-WELD 2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

PC 38 - Welding and soldering products

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

Bio-Circle Surface Technology GmbH

**Street :** Berensweg 200

**Postal code/city :** 33334 Gütersloh

**Telephone :** +49 5241 9443 0

**Telefax :** +49 5241 9443 44

**Information contact :** labor@bio-circle.de

### 1.4 Emergency telephone number

+49 5241 9443 51 during normal office hours  
(Monday to Thursday from 8 am to 4 pm and Friday from 8 am to 3 pm)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

None

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Special rules for supplemental label elements for certain mixtures

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

Alcohols, C16-18, ethoxylated, propoxylated ( $\geq 2.5$  EO/PO) ; REACH No. : Polymer ; EC No. : 614-209-5; CAS No. : 68002-96-0

Weight fraction :  $\geq 1 - < 5$  %

Classification 1272/2008 [CLP] : Aquatic Chronic 3 ; H412

#### Further ingredients

WHITE MINERAL OIL (PETROLEUM) ; REACH No. : 01-2119487078-27-XXXX ; EC No. : 232-455-8; CAS No. : 8042-47-5

Weight fraction :  $\geq 1 - < 5$  %

#### Additional information

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

## General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

### Following inhalation

Remove casualty to fresh air and keep warm and at rest.

### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

### After eye contact

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### After ingestion

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

None

## 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Sand Nitrogen Extinguishing blanket

#### Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide , Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### 5.4 Additional information

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

## 7.1 Precautions for safe handling

Keep container tightly closed. Avoid: Inhalation of vapours or spray/mists

## 7.2 Conditions for safe storage, including any incompatibilities

Keep/Store only in original container. Protect against : Frost .

### Hints on joint storage

Storage class (TRGS 510) : 12

## 7.3 Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5

Limit value type (country of origin) : TRGS 900 ( D )

Parameter : A: respirable fraction

Limit value : 5 mg/m<sup>3</sup>

Peak limitation : 4(II)

Remark : DFG, Y

Version : 12.05.2020

### 8.2 Exposure controls

#### Personal protection equipment

##### Eye/face protection



Wear suitable safety goggles in case of splash.

##### Suitable eye protection

EN 166.

##### Skin protection

##### Hand protection



Suitable gloves type : EN 374.

Suitable material : NBR (Nitrile rubber)

Breakthrough time (maximum wearing time) : 480 min.

Thickness of the glove material : 0.4 mm

**Remark** : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Respiratory protection

Usually no personal respirative protection necessary.

##### Suitable respiratory protection apparatus

Combination filtering device (EN 14387)

Type : A-P2

##### Remark

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

## General information

Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. P362+P364 - Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

## 8.3 Additional information

No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state : Liquid

Colour : white

#### Odour

characteristic

#### Safety characteristics

Initial boiling point and boiling range ( 1013 hPa )	approx.	100	°C	
Flash point :				not relevant
Lower explosion limit :				not relevant
Upper explosion limit :				not relevant
Vapour pressure :	( 50 °C )			not relevant
Density :	( 20 °C )	approx.	1	g/cm <sup>3</sup>
Solvent separation test :	( 20 °C )			not relevant
pH :		approx.	8,6	
Flow time :	( 20 °C )			not relevant
Maximum VOC content (EC) :			0	Wt %
Maximum VOC content (Switzerland) :			0	Wt %

DIN-cup 4 mm

### 9.2 Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No known hazardous decomposition products.  
Decomposition products in case of fire: see section 5.

Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

None

#### Acute toxicity

##### Acute oral toxicity

Parameter : ATEmix calculated  
Exposure route : Oral  
Effective dose : > 2000 mg/kg

##### Acute dermal toxicity

Parameter : ATEmix calculated  
Exposure route : Dermal  
Effective dose : > 2000 mg/kg

##### Acute inhalation toxicity

Parameter : ATEmix calculated  
Exposure route : Inhalation  
Effective dose : > 20 mg/kg

#### Corrosion

##### Skin corrosion/irritation

No further relevant information available.

##### Serious eye damage/eye irritation

No further relevant information available.

#### Respiratory or skin sensitisation

##### Skin sensitisation

No further relevant information available.

##### Sensitisation to the respiratory tract

No further relevant information available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

##### Carcinogenicity

No further relevant information available.

##### Germ cell mutagenicity

##### In vitro mutagenicity

Parameter : Gene-mutations microorganisms ( Alcohols, C16-18, ethoxylated, propoxylated ( >= 2.5 EO/PO ) ; CAS No. : 68002-96-0 )  
Exposure route : In vitro mutagenicity  
Species : Salmonella typhimurium  
Result : Negative.  
Method : OECD 471 (Ames test)

##### Reproductive toxicity

No further relevant information available.

#### STOT-single exposure

No further relevant information available.

#### STOT-repeated exposure

No further relevant information available.

#### Aspiration hazard

No further relevant information available.

### 11.2 Information on other hazards

#### Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Other adverse effects

Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

Has degreasing effect on the skin.

#### Additional information

Preparation not tested. The statement is derived from the properties of the single components.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) fish toxicity

Parameter : LC50 ( Alcohols, C16-18, ethoxylated, propoxylated (  $\geq$  2.5 EO/PO ) ; CAS No. : 68002-96-0 )  
Species : Cyprinus carpio (Common Carp)  
Effective dose : > 1 - 10 mg/l  
Exposure time : 96 h  
Method : OECD 203  
Parameter : LC50 ( WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5 )  
Species : Leuciscus idus (golden orfe)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : > 1000 mg/l  
Exposure time : 96 h  
Method : OECD 203

##### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( Alcohols, C16-18, ethoxylated, propoxylated (  $\geq$  2.5 EO/PO ) ; CAS No. : 68002-96-0 )  
Species : Daphnia magna (Big water flea)  
Effective dose : > 10 - 100 mg/l  
Exposure time : 48 h  
Method : OECD 202  
Parameter : EC50 ( WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : > 100 mg/l  
Exposure time : 48 h  
Method : OECD 202

##### Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : ErC50 ( Alcohols, C16-18, ethoxylated, propoxylated (  $\geq$  2.5 EO/PO ) ; CAS No. : 68002-96-0 )  
Species : Selenastrum capricornutum  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : > 10 - 100 mg/l  
Exposure time : 72 h  
Method : OECD 201

##### Chronic (long-term) algae toxicity

Parameter : NOEC ( WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose :  $\geq$  100 mg/l  
Exposure time : 72 h  
Method : OECD 201

##### Toxicity to microorganisms

Parameter : EC10 ( Alcohols, C16-18, ethoxylated, propoxylated (  $\geq$  2.5 EO/PO ) ; CAS No. : 68002-96-0 )  
Species : Pseudomonas putida  
Effective dose : > 2000 mg/l  
Exposure time : 5,33 h

Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

## 12.2 Persistence and degradability

### Biodegradation

Parameter :	Biodegradation ( Alcohols, C16-18, ethoxylated, propoxylated ( >= 2.5 EO/PO ) ; CAS No. : 68002-96-0 )
Inoculum :	Biodegradation
Evaluation parameter :	Aerobic
Degradation rate :	> 60 %
Test duration :	28 D
Method :	OECD 301B
Parameter :	Biodegradation ( WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5 )
Inoculum :	Biodegradation
Degradation rate :	31 %
Test duration :	28 D
Evaluation :	Not readily biodegradable (according to OECD criteria) Biodegradable.
Method :	OECD 301F

### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

None

## SECTION 13: Disposal considerations

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. List of proposed waste codes/waste designations in accordance with EWC

### 13.1 Waste treatment methods

#### Directive 2008/98/EC (Waste Framework Directive)

##### Before intended use

##### Waste codes/waste designations according to EWC/AVV

12 01 99 - wastes not otherwise specified.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No transport as bulk according to IBC Code.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Other regulations (EU)

##### Regulation (EU) No. 528/2012 on biocides

This product is a with biocidal products treated article.

Preservative ( 2-PHENOXYETHAN-1-OL ; 2-BUTYL-2,3-DIHYDRO-1,2-BENZOTHAZOL-3-ONE ;

BIS(3-AMINOPROPYL)(DODECYL)AMINE )

#### National regulations

##### Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

##### Water hazard class (WGK)

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

### 15.2 Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

03. Further ingredients · 08. Occupational exposure limit values · 08. Respiratory protection · 15. Regulation (EU) No. 528/2012 on biocides

### 16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die Beförderung gefährlicher Güter auf der Straße)

AOX: adsorbierbare organisch gebundene Halogene

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS: Chemical Abstracts Service (Unterabteilung der American Chemical Society)

CLP: Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (Classification Labelling and Packaging)

EAK / AVV: europäischer Abfallartenkatalog / Abfallverzeichnis-Verordnung

ECHA: Europäische Chemikalienagentur (European Chemicals Agency)

EINECS: : Altstoffverzeichnis (European Inventory of Existing Commercial Chemical Substances)

GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonized System of Classification and Labelling of Chemicals)

IATA: Internationale Luftverkehrs-Vereinigung (International Air Transport Association)

ICAO: Internationale Zivilluftfahrtorganisation (International Civil Aviation Organization)

IMDG: Gefahrgutkennzeichnung für gefährliche Güter im Seeschiffverkehr (International Maritime Code for Dangerous Goods)

RID: Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr (Règlement concernant le transport international ferroviaire de marchandises dangereuses)

TRGS: Technische Regel für den Umgang mit Gefahrstoffen

VbF: Verordnung über brennbare Flüssigkeiten

VOC: flüchtige organische Verbindung (volatile organic compound)

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

### 16.3 Key literature references and sources for data

DGUV: GESTIS-Stoffdatenbank

ECHA: Classification And Labelling Inventory

ECHA: Pre-registered Substances

ECHA: Registered Substances



**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : E-WELD 2  
Revision date : 17.02.2022  
Print date : 18.02.2022

Version (Revision) : 3.0.3 (3.0.2)

---

EC\_Safety Data Sheet of Suppliers  
ESIS: European Chemical Substances Information System  
GDL: Gefahrstoffdatenbank der Länder  
UBA Rigoletto: Wassergefährdende Stoffe  
Regulation (EC) No. 1907/2006 of the European Parliament and of the Council  
Regulation (EC) No. 1272/2008 of the European Parliament and of the Council

**16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

No information available.

**16.5 Relevant H- and EUH-phrases (Number and full text)**

H412 Harmful to aquatic life with long lasting effects.

**16.6 Training advice**

None

**16.7 Additional information**

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---